

	\$40	\$60	\$50	\$60
Model	GRP 2602	GRP 2602W	GRP 2603	GRP 2604
# of Lines	2	2	3	3
Line Support	2 lines & 4 SIP accounts	2 lines & 4 SIP accounts	3 lines & 6 SIP accounts	3 lines & 6 SIP accounts
Display	2.21" (132x48) Backlit Graphical Display	2.21" (132x48) Backlit Graphical Display	2.7" (132x64) Backlit Graphical Display	2.7" (132x64) Backlit Graphical Display
Conferencing	5-way audio conferencing	5-way audio conferencing	5-way audio conferencing	5-way audio conferencing
Auxillary Ports	RJ9 headset jack for Headset	RJ9 headset jack for Headset	RJ9 headset jack for Headset	RJ9 headset jack for Headset
Audio	HD audio handset & Full-duplex speakerphone to maximize audio quality & clarity. Equipped with noise shield technology to minimize background noise	Full-duplex speakerphone with HD audio to maximize audio quality & clarity. Equipped with noise shield technology to minimize background noise	Full-duplex speakerphone with HD audio to maximize audio quality & clarity. Equipped with noise shield technology to minimize background noise	Full-duplex speakerphone with HD audio to maximize audio quality & clarity. Equipped with noise shield technology to minimize background noise
Speed Dial Keys	N/A	N/A	N/A	10 programmable Keys
Network Interfaces	Dual Switched auto-sensing 10/100 Mbps Ethernet ports	Dual Switched auto-sensing 10/100 Mbps Ethernet ports	Gigabit Dual Switched auto-sensing 10/100/1000 Mbps Ethernet ports	Gigabit Dual Switched auto-sensing 10/100/1000 Mbps Ethernet ports
Wi-Fi	No	YES	No	No
Device Management	GDMS	GDMS	GDMS	GDMS



	\$80	\$90	\$100
Model	GRP 2612W	GRP 2634	GXP 2170
# of Lines	4	8	12
Line Support	4 lines & 2 SIP accounts	8 lines & 4 SIP accounts	12 lines & 6 SIP accounts
Display	2.4" (320x240) TFT Color LCD	2.8" (320x240) TFT Color LCD	4.3" (480x272) TFT Color LCD
Conferencing	3-way audio conferencing	5-way audio conferencing	5-way audio conferencing
Auxillary Ports	RJ9 headset jack for Headset	RJ9 headset jack for Headset and integrated USB headset support	RJ9 headset jack for Headset
Audio	Full-duplex speakerphone with HD audio to maximize audio quality & clarity. Equipped with noise shield technology to minimize background noise	Full-duplex speakerphone with HD audio to maximize audio quality & clarity. Equipped with noise shield technology to minimize background noise	Full-duplex speakerphone with HD audio to maximize audio quality & clarity.
Speed Dial Keys	N/A	10 programmable Keys	N/A
Network Interfaces	Dual Switched auto-sensing 10/100 Mbps Ethernet ports	Gigabit Dual Switched auto-sensing 10/100/1000 Mbps Ethernet ports	Gigabit Dual Switched auto-sensing 10/100/1000 Mbps Ethernet ports
Wi-Fi	YES	No	No
Device Management	GDMS	GDMS	GDMS

Prices subject to change. All prices current as of 3 January 2023

		RANDSTREAM	GRANDSTREAM
	\$90	\$130	\$40
Model	DP 810	DP 822	HT 802
# of Lines	2	2 2 lines / 2 SIP accounts	2 port analog telephone adapter (ATA)
Line Support	2 lines / 2 SIP accounts		
Display	1.8" (128x160) TFT Color LCD	2.4" (240x320) TFT Color LCD	Supports 2 SIP profiles through 2
Conferencing	3-way audio conferencing	3-way audio conferencing	FXS ports & a single 10/100 Mbps
Auxillary Ports	Micro USB & 3.5mm headset jack for Headset	Integrated Bluetooth for wireless headsets as well as Micro USB and 3.5mm ports	port
Audio	HD audio on both Handset and Speakerphone with support for wideband audio	HD audio on both Handset and Speakerphone with support for wideband audio	For offices that have a stand alone Fax Machine.
Network Interfaces	Dual-Band Wi-Fi	Dual-Band Wi-Fi	
Battery Life	6 hours talk time and 120-hour standby	8 hours talk time and 200-hour standby	









	\$45*	\$75*	\$45
Model	DP 722	DP 730	DP 752
	*Requires Base Station	*Requires Base Station	Base Station for DECT Cordless phones
# of Lines	10	10	10
Line Support	10 lines & 10 SIP accounts	10 lines & 10 SIP accounts	10 lines & 10 SIP accounts
Display	1.8" (128x160) TFT Color LCD	2.4" (240x320) TFT Color LCD	1.8" (128x160) TFT Color LCD
Conferencing	3-way audio conferencing	3-way audio conferencing	3-way audio conferencing
Auxillary Ports	3.5mm headset jack for Headset	3.5mm headset jack for Headset	3.5mm headset jack for Headset
Audio	Full-duplex speakerphone with HD audio to maximize audio quality & clarity.	Full-duplex speakerphone with HD audio to maximize audio quality & clarity.	Full-duplex speakerphone with HD audio to maximize audio quality & clarity.
Range	up to 350 meters outdoors & 50 meters indoors	up to 400 meters outdoors & 50 meters indoors	Outdoors up to 350 meters with DP722 and 400 meters with DP730. Indoors up to 50 meters
Network Interfaces	DECT cordless	DECT cordless	One auto-sensing 10/100 Mbps Ethernet port
Battery Life	20 hours talk time and 250-hour standby	40 hours talk time and 500-hour standby	N/A